CITY OF ALAMO HEIGHTS 6116 BROADWAY SAN ANTONIO, TEXAS 78209 210-822-3331

INVITATION TO BID

The City of Alamo Heights Public Works Department is requesting bids for the procurement of a Kenworth T380 Series Conventional Garbage Truck, Color White Vehicle.

Specifications are notated on the attached vehicle bid worksheet.

Only sealed bids will be accepted for the specified project. Opened, unsealed or partially opened bids will be rejected by the City Secretary's Office. It is the responsibility of the bidder to insure that the submitted bid is properly sealed.

All bids must be received by **October 14th**, **2022 10:00 a.m.** Bids received after the deadline will not be opened and will be automatically disqualified from the bid process. It is the responsibility of the bidder to insure that his or her bid is received on or before the deadline specified. All times specified are central standard times (C.S.T.)

The City of Alamo Heights is exempt from all sales, excise and use taxes pursuant to the provisions of the Texas Limited Sales, Excise, and Use Tax Act. Please do not include any such tax or taxes in your bid.

The City will pay by check, payment in full for all products awarded under the terms of this bid package within thirty (30) days after receipt and acceptance of products by City, and upon presentation of proper invoice for same.

Price protection is required from date of award through date of receipt and invoicing.

All prices specified shall be in U.S. Dollars and all bidders shall submit their bids detailing outright cash purchase price, unless otherwise requested.

The City of Alamo Heights reserves the right to accept or reject any and all bids, to waive all formalities and or technicalities, to make an investigation necessary concerning the bidders ability to complete the term of the contract, and to accept what, in the judgment of the City, is the bid deemed to be in the best interest of and most advantageous to the City. The City reserves the right to award to the best, responsible bidder.

INFORMATION SHEET BID PACKAGE

KENWORTH T380 SERIES CONVENTIONAL FULL TRUCK, COLOR WHITE GARBAGE TRUCK

BID SUBMISSION:

All bids must be submitted on authorized bid forms furnished within this package. Failure to comply with this requirement will disqualify a submitted bid.

BID DEADLINE:

Bids for this package must be submitted to, and be on file with the City Secretary on or before 10:00 a.m. October 14, 2022 at City Hall at 6116 Broadway, San Antonio, TX 78209.

SEALED BID:

All bids submitted shall be properly sealed. The envelope(s) containing the submitted bid shall be plainly marked "PW GARBAGE TRUCK BID."

BID OPENINGS:

Bids will be opened and read publicly by the City Staff at 10:00 a.m. on October 14, 2022 at City Hall, 6116 Broadway, San Antonio, TX 78209.

BID AWARD:

Bids will be reviewed for compliance with the bids specs and recommendations for awards will be presented to the City Council by the City Staff on Monday, October 24, 2022 at 5:30 p.m. in the City Council Chambers. The City Council will consider and discuss all bids and make the final award. Scoring information will be available upon request.

CITY OF ALAMO HEIGHTS PUBLIC WORKS DEPARTMENT REQUEST FOR COMPETITIVE SEALED BIDS

Sealed Bids, in duplicate, shall be clearly marked **DO NOT OPEN**, **ONE KENWORTH T380 CONVENTIONAL SERIES PW GARBAGE TRUCK VEHICLE BID**" and mailed to the attention of the City Secretary Elsa Robles, 6116 Broadway, San Antonio, TX 78209.

Date: September 14, 2022

Bids will be received until 10:00 a.m., October 14, 2022

For: <u>New Public Works Garbage Truck</u>

Equipment to be delivered to Reliance Truck and Equipment 9818 Green Road Converse, TX 78109

See attached vehicle bid pricing summary

INSTRUCTIONS TO PROPOSER.....PLEASE READ CAREFULLY

- 1. The City of Alamo Heights, Tax No. 74-6002069 is exempt from all Federal Excise Taxes. Do not include tax in your bid price or invoice. Taxable items must be so designated, and the City will supply contractor with Tax Exemption Certificate, properly executed. Prices should be itemized according to the bid spec sheet attached.
- 2. The City of Alamo Heights will pay for articles or services purchased under this bid within thirty (30) days after due and property delivery or performance of service is made and accompanied by an invoice.
- **3.** This purchasing contract is subject to the attached Purchasing Terms and General Conditions.
- 4. In case of discrepancy between the unit price and the extension price, the unit price will be taken.
- 5. ALL PROPOSAL MUST BE SIGNED BY HAND. NO ELECTRONIC SIGNATURES WILL BE ACCEPTED.

The undersigned hereby offers to furnish and deliver the articles or services as specified above at the prices and terms there stated and in strict accordance within the specifications and general conditions of bidding, all of which are made a part of this offer. This offer is not subject to withdrawal.

Delivery can be made:

Names of Business:			
Mailing Address:			
City:	State:	_ Zip:	
By:	Title:	_ 1	
Phone:	Email:		

CITY OF ALAMO HEIGHTS

1. Preparation of Bids

Unless otherwise directed in the Notice to Bidders, submit bids <u>in duplicate</u> on the prescribed forms or copies thereof along with the bid bond if required, in a sealed envelope marked "ONE **KENWORTH T380 CONVENTIONAL SERIES PW GARBAGE TRUCK VEHICLE BID**". Prepare bids in accordance with the requirements of the Notice to Bidders, and any instructions on the Proposal or Bid Sheet.

2. **Questions and Inquiries**

Proposer's desiring further information or interpretation must request such information or interpretation from:

Jonathan Rodriguez Public Works Superintendent 6116 Broadway San Antonio, TX 78209 (210) 832-2252 Email: jrodriguez@alamoheightstx.gov

3. Submission of Bids

Three (3) copies of each proposal shall be submitted to the address below by the time and date set forth. No fax or email Responses will be accepted. Responses received later than the due date will **not be accepted, and returned unopened**.

Due Date: October 14, 2022 at 10:00 a.m.

4. Owner

The City reserves the right to award parts of bids, reject any or all bids and to waive technical irregularities in bidding. Contract award will be made on the basis of the bidder who provides the goods and services at the best value for the City, considering the evaluation selection criteria below. No bid may be withdrawn before 90 days after submittal.

Best Value Selection Criteria:

	Purchase Price	40 Pts.
b)	Meets all bid specifications	20 Pts.
c)	Compatibility with current Systems	30 Pts.
d)	Best delivery date	10 Pts.
	Total:	100 Pts.

5. <u>Bidders</u>

Bidders desiring Purchasing information or interpretation must request such information or interpretation from the Purchasing Department. Should a Bidder discover a discrepancy or an omission in the plans or specifications, he should at once notify the Purchasing Department so that an addendum can be issued. No explanation or interpretation other than an addendum issued by the City will be considered official of binding.

Email Public Works Superintendent Jonathan Rodriguez at <u>jrodriguez@alamoheightstx.gov</u> no later than September 30. All questions will be submitted via email to Jonathan Rodriguez. Questions and answers will be posted on website by Tuesday, October 4, 2022. The City's website will contain a webpage for all procurement updates, if any. Communication with other City employees and/or officials are prohibited during the time of the procurement process and may subject the bidder to immediate disqualification.

6. Bid Evaluation and Award

The bid award will be made on the basis of *Texas Local Government Code Section 252.043*. This section allows the City of Alamo Heights to develop and apply award evaluation criteria for procurement in order to obtain goods or services that provide the *best value* to the City. Under these guidelines, a vendor is not automatically awarded a bid simply because they submit the lowest bid response. In the event that the selected bidder fails to enter into agreement to provide the goods or services which are the subject of this invitation the City retains the right to award the bid to the next qualified bidder.

7. Communications

The City of Alamo Heights shall not be responsible for any verbal communication between any representative of the City and any potential firm. All modifications to this solicitation must be made in writing. A proposer's failure to examine relevant documents or specifications will not relieve proposer from any obligation with regard to their response to this invitation.

8. Substitutions

Where materials or equipment are specified by a trade or brand name, it is not the intention of the City to discriminate against an equal product of another manufacturer, but to set a definite standard of quality or performance, and to establish an equal basis for the evaluation of bids. In preparing his bid, each bidder is expected to include in his base bid the cost of the items so specified.

9. <u>Default</u>

The City reserves the right to terminate the contract immediately for failure to meet delivery or completion schedules, or otherwise perform in accordance with the general conditions of this proposal.

10. <u>References</u>

The City of Alamo Heights may request bidders to supply, with this Invitation to Bid, a list of at least five (5) references where like services have been supplied by their firm. Include name of firm, contact person, address, telephone number, fax number, and email address.

11. Delivery of Proposals

It is the bidder's responsibility to deliver his proposal at the proper time to the proper place. The fact that a proposal was dispatched will not be considered. The bidder must have the proposal actually delivered before the deadline. Any bids received after the time and date specified in the Notice to Bidders will be returned unopened. No fax or email proposals will be accepted.

12. Corrections

Erasures or other corrections in the proposal must be noted over with the proposer's initials.

13. Materials and Services

The Bidder warrants that goods, materials or services delivered to the City will meet the minimum specifications set forth therein. Bidder shall furnish all data pertinent to specifications and warranties, which apply to items in the bid.

14. Equal Employment Opportunity

Attention is called to the requirements for ensuring that employers and applicants for employment are not discriminated against because of their age, race, color, creed, sex or national origin.

15. Price of Materials and Sales Tax

Prices for all goods or services shall remain firm for the duration of this contract and shall be stated on the bid sheet. Prices shall be all inclusive. Any price not shown on the bid sheet will not be honored by invoice. No price changes, additions or subsequent qualifications will be honored during the course of this contract. All prices must be written in ink or typewritten. Transportation, freight or other charges are to be prepaid by the bidder and included in the bid price. If there are additional charges of any kind, other than those mentioned above, specified or unspecified, Bidder must indicate both items required and attendant cost or forfeit the right to payment. Invoices must be submitted by the vendor in duplicate to the City of Alamo Heights, Public Works Department, 6116 Broadway, San Antonio, TX 78209.

This Contract is issued by an organization, which qualified for exemption pursuant to the provisions of Article 20.04(F) of the Texas Limited Sales, Excise and Use Tax Act.

16. Payment Terms

The City of Alamo Heights is exempt from state sales tax and federal excise tax. These taxes shall not be included in the submitted pricing. The City will provide tax exemption certificates upon request.

Once bidder is notified of award, invoices must be submitted by the vendor in duplicate to the City of Alamo Heights, Public Works Department, 6116 Broadway, San Antonio, TX 78209. If invoices are subject to cash discount, discount period will be taken from the date of completion of order or date of receipt of invoice, whichever occurs last regardless of whether or not correct discount terms appear on invoice.

17. Proposal Agreement and Certification

The Undersigned Agrees That:

- A. No Federal, State, County or Municipal taxes have been included in the quotes prices and none will be added.
- **B.** Prices in this proposal have not knowingly been disclosed with any other provider and will not be prior to award.
- C. Prices in this proposal have been arrived at independently, without consultation, communication or agreement for the purpose of restricting competition.
- **D.** No attempt has been made nor will be to induce any other person or firm to submit a proposal for the purpose of restricting competition.
- E. The individual signing this proposed certifies that he/she is a legal agent of the proposer, authorized to represent the proposer and is legally responsible for the offer with regard to supporting documentation and prices provided.

18. City has the right to:

- A. If only one or no bid is received by "submission date", the City has the right to reject, re-propose, accept and/or extend the Competitive Sealed Bid by up to an additional two (2) weeks from original submission date.
- B. The right to reject any/or all bids and to make award as they may appear to be advantageous to the City.
- C. The right to hold any submittals for 90 days from submission date without action, and to waive all formalities in Bid, and any submittal irregularities.
- D. The right to extend the time for award beyond the original 90-day period, if agreed upon in writing by both parties and if bid is held firm.

Company Name	Name of Authorized Agent - Printed
Street Address/P.O. Box	Authorized Agent Signature
City/State/Zip Code	Date
Phone	Email Address

Bid Specifications – Kenworth Overview

	Unit	Chassis	
Model:	T380 Series Conventional	Fr Axle Load (lbs):	10000
Туре:	FULL TRUCK	Rr Axle Load (lbs):	23000 💙
Description 1:	T380 33k	G.C.W. (lbs):	33000
Description 2:			
	Application	Road Conditions:	
Intended Serv.: Ref	use packer: Vehicles which pick up	Class A (Highway)	50
	r		
Commodity:	Refuse/recycled material.	Class B (Hwy/Mtn)	50
·	·	Class C (Off-Hwy)	0
	Body	Class D (Off-Road)	0
Туре:	Refuse loader/packer	Maximum Grade:	6
Length (ft):	20	Wheelbase (in):	206
Height (ft):	12	Overhang (in):	72
Max Laden Weight	4000	Fr Axle to BOC (in):	67.5
(lbs):			
		Cab to Axle (in):	138.5
	Trailer	Cab to EOF (in):	210.5
No. of Trailer Axles:	0	Overall Comb. Length (in):	318
Туре:			
Length (ft):	0	Special Req.	
Height (ft):	0	U.S. Domestic registry, 50-state.	
Kingpin Inset (in):	0		
Corner Radius (in):	0		
	Restrictions		

Length (ft):	75
Width (in):	102
Height (ft):	13.5

Sales Code	Std/ Opt	Description	Weig
Model			
0000380	S	T380 Series Conventional	9,93
0070086	S	T380 Aero Hood	
0080050	0	CARB Idle Emissions Reduction Feature for PX-7 and PX-9	
0090143	0	T380 Automatic	
0098443	0	State of Registry: Texas	
Engine	& Equi	pment	
0130203	0	PX-9 300 300@1850 860@1200, 2021 With Turbo Exhaust Brake (VGT Brake).	5
		 N09420 C333 0Reserve Speed Limit Offset (N09380 C334 0 Maximum Cycle Distance (N202 N09360 C400 252Reserve Speed Function Reset N09200 C399 120Standard Maximum Speed Limit N09400 C401 10 Maximum Active Distance (N20 N09220 C402 0 Expiration Distance (N207) N09540 C395 0 Expiration Distance (N209) N09260 C121 66Max Vehicle Speed in Top Gea N09440 C234 NO Engine Protection Shtdwn N09460 C231 NOGear Down Protection N09580 C133 5 Idle Shtdwn Time N09680 C233 NO Idle Shtdwn Override N09480 C132 1400Max PTO Speed N09500 C239 NOCruise Control Speed N09500 C238 NO Auto Engine Brake in Cruise N09780 C190 80High Ambient Temperature Thr N09740 C188 40Low Ambient Temperature Thre N09760 C189 60Intermediate Ambient Tempera 	
1000017		N09720 C382 YESEnable Hot Ambient Automatic N09600 C396 YESEnable Impending Shutdown Wa N09620 C397 60Timer For Impending Shutdown N09640 C206 35Engine Load Threshold N09560 C225 YESEnable Idle Shutdown Park Br	
1000047	0	CARB Emissions Warranty Engine	
1000151	S	PremierSpec	
1000243	0	Gearing Analysis: Performance power before economy results.	
1000251	0	Customer's Typical Operating Spd: 60 MPH.	
1000684		Effective VSL Setting NA	

City of Alamo Heights – Chassis Bid Specifications

Sales Code	Std/ Opt	Description	Weigl
1000858	0	Engine Idle Shutdown Timer Disabled	
1000859	0	Enable EIST Ambient Temp Overrule	
1000891		Eff EIST NA Expiration Miles	
1002065	0	Air compressor: Cummins 30.4 CFM ISL, PX-8, PX-9 replacing 18.7.	
1041399	S	Air Cleaner: MD Composite Engine Mounted	
1105231	0	Fan Hub: Horton On/Off for PX-9 or ISLG	
1121231	S	Cooling Module: 2.1M MD - Aero Hood 1000 Square Inches	
1160205	0	Bugscreen Front of grille on 2.1M MD, C500 ,T800, T880, and W900. Behind grille on T680 and 1.9M MD.	
1247234	0	EXH: 2021 RH Under DPF/SCR with RH SOC Vertical tailpipe. Not 2.1m high roof sleepers	
1290130	0	Tailpipe: 5 in. single 30 in. 45 degree curved.	
1321102	S	Fuel Filter: PACCAR 2.1M MD for PX-7 or PX-9 Fuel/water separator for 2021 and later engines.	
1321200	S	Run Aid:None *For Fuel Filter	
1321300	S	Start Aid:None *For Fuel Filter	
1500029	0	Kenworth Fuel Cooler Required for Cummins engines with a single fuel tank. Required for PACCAR MX-13 engine with a single fuel tank and stationary use: High RPM, low vehicle speed, sustained for longer than 1 hour. Optional for all other applications.	
1504006	0	Block heater: PACCAR 750 watt 120V for PX-7 1000 watt for PX-9 and ISL9 engines.	
1816260	S	Alternator: PACCAR 160 amp, brush type	
1821220	S	Batteries: 2 PACCAR GP31 threaded post (700-730) 1400-1460 CCA dual purpose.	
1836106	0	Mitsubishi 105P55 12V Starter with Cummins and PX PACCAR 12 volt electrical system. W/ centralized power distribution incorporating plug-in style relays. Circuit protection for serviceability, 12- volt light system w/circuit protection circuits number & color coded. Only for Cummins or PX engines.	
1840065	0	12V low voltage disconnect for starter battery protection.	
1840067	0	Battery Disconnect Switch Mounted on Battery Box Provides One (1) Switch	

Sales Code	Std/ Opt	Description	Weigl
1901018	S	Remote PTO/Throttle, 12-Pin, 250K, Back of Cab	
Transm	ission	OR Back of Sleeper, J1939, Remote Control Provision & Clutch	
2011232	0	Transmission: Allison 3500RDS 6-speed w/PTO drive gear. 5th Gen Controls. Limited to 860 lbft. Includes heat exchanger & oil level sensor. Rugged Duty Series for vocational applications. Transynd transmission fluid is standard on all Allison 1000,	39
		2000, 3000 & 4000 series transmissions.	
2401905	0	Driveline: 3 Dana standard-duty; 2 centerbearing. *Standard duty is 1710 series.	14
2409942	0	Two Heavy-Duty One-Piece Aluminum crossmembers This option upgrades existing crossmembers. The cost does not include the centerbearing and bracket. Crossmember locations will be in accordance with Kenworth engineering standards, using the major components specified on the DTPO.	
2410018	0	Torque converter included w/Allison Transmission.	
2410204	0	Allison Fuel Sense: Delete	
2410244	0	J1939 Park Brake Auto Neutral	
2429358	0	Rear transmission support springs for transmission PTO applications are required to ensure that engine flywheel housings are not overloaded when transmission PTO's are installed.	
Front Ax	kle & E	Equipment	
2501010	0	Dana Spicer E-1002IL Front Axle rated 10K 3-1/2in. drop. Use w/ air brakes only.	-
2621310	S	Front Brakes: 14.6K Bendix ES s-cam 16.5x5 in.	
2690002	S	Front Brake Drums: 14.6K 16.5x5 in. cast.	
2702500	S	Front Hub: iron hub pilot 14,600 lbs. 11-1/4 in. bolt circle. For use w/ air disc brakes. Consider wheelguards (5850002) w/ aluminum wheels.	
	S	ConMet PreSet Plus Hub package; front axle.	
2741970		Hubcap: front vented.	
2741970 2750001	S	Hubcap. Hollt vented.	
	S S	Front Auto Slack Adjuster.	
2750001		Front Auto Slack Adjuster. Front Springs: Taperleaf 10K w/shock absorbers.	1
2750001 2765001	S	Front Auto Slack Adjuster.	1

City of Alamo Heights – Chassis Bid Specifications

Sales Code	Std/ Opt	Description	Weigh
Rear Ax	le & Ec	quipment	
3041181	0	Single Dana Spicer S23-172H single reduction axle	26
		single rear axle rated at 23K. Heavy wall.	
3200614	0	Rear Axle Ratio - 6.14.	
3330004	S	Single Rear Brakes 16-1/2x7 in. Bendix ES-	
3392007	S	extended service S-cam. Single Rear Brake Drums: Cast S-Cam single	
3403220	S	Single Rear Hubs: Iron hub pilot 11-1/4 in. bolt	
3403220	3	circle.	
3441971	S	ConMet PreSet Plus Hub package; single rear axle.	
3465001	S	Single Rear axle automatic slack adjusters.	
3485007	S	Spring Brake: 3030 long stroke single 3 in.	
3495226	S	travel. Helps keep brakes in adjustment longer. Bendix 4S/4M anti-lock brake system.	
2521001	0	Wheel Differential Lock for Dana Spicer Axles	
3531001	0	S21-170/172, S21-190, S23-170/172, S23-190, S26-190 & S30-190;	
		adds D to the end of the axle part number. $323-190, 323$	
3666435	0	Rear suspension: single Reyco 79KB multileaf 31K.	1
		28K spring plus helper. Laden height 8.9 inches, unladen height 11.7	
		inches. Not available with shocks or swaybars. Not rear air disc brake	
		compatible.	
3836315	0	Bolted rear suspension crossmembers for Reyco 79KB. Replaces medium duty standard.	
Tires &	Wheel		
4030024	0	Front Tires: Goodyear Endurance RSA 11R22.5 16PR 🗸 🗸	
4000700	0	Descriptions On the set First Mars BTD 44D00 5 44DD	
4238739	0	Rear tires: Goodyear Fuel Max RTD 11R22.5 14PR 42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of	
		42.1 in. diameter, all position. 19.6 in. SLR. Code is priced per pair of tires.	
4900004	0	Rear Tire Quantity: 4	
5042285	0	Front Wheel: Accuride 50344 22.5x8.25 steel	
		Steel Armor[TM] powder coat, hub-pilot mount.heavy-duty 5 hand-hole hub pilot mount.	
5242285	0	Rear Wheel: Accuride 50344 22.5x8.25 steel	
		Steel Armor[TM] powder coat, hub-pilot mount. Heavy-duty 5 hand-hole	
	-	hub pilot mount. Code is priced per pair of wheels.	
5853906	0	Powder coat white steel wheel. Use in conjunction	
		with front, dual front, rear, spare or lift axle wheel code(s). All wheels	
5000004	0	on chassis must have same finish color.	
5900004	0	Rear Wheel/Rim Quantity: 4	

Frame & Equipment

City of Alamo Heights – Chassis Bid Specifications

City of Alamo Heights – Bid

Sales Code	Std/ Opt	Description	Weight
6054250	S	Frame Rails: 10-5/8 x 3-1/2 x 5/16 in. Steel to 308 in. Truck frame weight is 2.91 lbin. per pair of rails. Section modulus is 14.80 cu.in., RBM is 1,776,000 in-lbs per rail. 120,000 PSI yield. Heat treated. Frame rail availability may be restricted based upon application, axle/suspension capacity, fifth wheel setting, or component/dimensional specifications. The results of the engineering review may result in a change to the requested frame rail. If a change is required Kenworth Application Engineering will advise the dealer of the	200
		appropriate material specification for a substitute rail.	
6308710	0	Bumper: Aerodynamic, Painted. Requires a bumper setting code.	0
6319040	S	40 in. Bumper setting. Requires a bumper code.	0
6321010	S	Front tow loops: Two	0
6391201	0	Custom Frame Layout: one chassis CFL A/D: inside LH rail BOC CFL A/T: clear of trans area and clear if PTO	0
6404420	0	Battery box: Steel parallel module under w/step, natural aluminum cover. Use with 2 or 3 batteries. Up to 2 air tanks may be mounted to bottom of box. Batteries will be oriented perpendicular to the frame rail in a single row.	9
6409901	0	Battery box location: LH Side.	0
6451125	0	DPF/SCR box natural end plates and natural cover.	0
6490139	0	Heavy-duty one-pc aluminum intermediate/fill-in crossmember.	13
6490434	0	Heavy-duty 5-piece rear cab support, bolted assembly. Huck fastened to frame.	15
6721102	0	Rear mudflap arms: Betts B-25 standard-duty, straight. Includes B1732 mounting brackets as standard.	12
6722000	0	Rear mudflap shields: White plastic antisail w/ Kenworth logo.	9
6742009	S	Square end-of-frame w/o crossmember; non-towing.	0
Fuel Tar	nks & I	Equip	
7144070	0	70 US gallon D-Shape rectangular aluminum BOC fuel tank, replace.	-21
7722173	0	Large DEF tank, 15 gallons.	26
7889007	0	Fuel Fill: Center of tank(s) BOC. Not available on fuel tanks with 3 supports or with full or partial chassis fairings.	0
7889203	0	DEF to fuel fill ratio 2:1 or greater.	0
7889613	0	DEF tank location is RH BOC. For 2.1M medium duty	0

City of Alamo Heights – Bid

Sales Code	Std/ Opt	Description	Weigl
7930070	0	Location: 70 gal fuel tank RH behind cab	
Cab & E	quipm	lent	
8024311	S	Cab: Stamped aluminum with curved windshield	
		LED markers. Requires seperate roof code.	
8090151	S	Hood: Short Aero w/ Dark Gray Crown In-Mold Color	
8108011	S	Cab HVAC - Day Cab and 40in Sleeper	
		System With Defrost, A/C, and 48,000 BTU/hr Heater. Includes	
		automatic temperature control with one touch defrost operation and dash	
		mounted cab temperature and solar intensity sensors. Pleated fresh air	
		filter and cabin recirculation air filter standard. The Kenworth	
		HVAC system is designed to provide optimal heating and cooling in all operating environments without need for additional insulation. Cab	
		HVAC without sleeper heater AC is available with 40in sleeper.	
8201013	S	Steering wheel: 18 in. 4-spoke.	
8201200	S	Adjustable telescoping tilt steering column.	
	-	·	
8205123	U	Switch & Wiring for Customer-Installed PTO. Narr customer request	
8205273	0	Dash Mounted - Compact Valve to Actuate All	
		Service Brakes Self-Returning.	
8208498	0	Five spare switches: Wired to power.	
8222409	0	Gauge: DD Virtual Gauge - Air Filter	
		Restriction	
8222413	0	Gauge: DD Virtual Gauge - Manifold	
		Pressure Boost	
8222414	0	Gauge: DD Virtual Gauge - Engine Percent	
		Torque	
8222418	0	Gauge: DD Virtual Gauge - Engine Hours	
		Instrument Cluster	
8222419	0	Gauge: DD Virtual Gauge - Volts	
		Instrument Cluster	
8226667	0	Gauge: Oil Temperature Gauge Transmission.	
		The NavPlus HD unit includes a virtual transmission oil temperature gauge.	
8282024	S	Main Instrument Package: 7" Digital Display	
		Cluster. Includes Physical (Analog): Speedometer, Tachometer, Oil	
		Pressure, and Coolant Temp; and Digital: Fuel Level #1, DEF Level,	
		DPF Filter Status, Fuel Economy, Volts Telltale, OAT and Primary Air	
		Pressure, Secondary Air Pressure, and Air Application for air brake trucks.	
8330591	S	Interior Trim Package: 2.1M MD Gray Foam	

Sales Code	Std/ Opt	Description	Weight
		Backing/Cloth Headliner W/Gray Sunvisor & Seat Color Three Underdash Center Console Cupholders (Two If Allison Transmission Is Selected).	
8410127	0	Driver Seat: KW Air Seat HB Tough Cloth w/ Dual Armrests/Susp Cover/Isolator Lever	0
8478056	0	Rider Seat: KW Toolbox 2-Man Bench Tough Cloth	0
8490161	0	SEAT COLOR: Black Replacing Standard Gray	0
8496559	0	Driver and Rider Seat Belts: Orange Seat Belts. Replacing standard color.	0
8601432	0	Kenworth Radio DEA710 AM/FM/WB/USB, Bluetooth	0
8698965	0	Speaker Package For Cab: (2) Speakers B-Pillar	0
8699933	0	CB Installation Kit: C/I Center Mtd of Header w/ Dual Antenna on LH/RH mirrors. One Jumper Harness.	2
8700154	0	Self cancelling turn signal: W/head light dimmer switch	0
8700283	S	LH and RH Trip Ledge Rain Deflectors	0
8800260	0	Long grabhandle RH side mounted to side-of-cab exhaust.	2
8800372	0	Grabhandle: LH, Exterior, Side of Cab - Ergonomic Grab Handle Mounted To The Left Hand Exterior Of The Cab For Entry and Exit.	3
8800402	S	Dual Cab Interior Grabhandles: A Pillar Mounted Dash Wrap and B Pillar Mounted Grabhandles	0
8832113	S	Kenworth Daylite Door with standard LH/RH electric door locks and LH/RH electric window controls.	0
8841641	0	Air Horn: Sing Round 26" LH Roof Incl Air Horn Cover	0
8850139	S	Look-Down, Pass. Door, Black 11x6	0
8850842	S	Mirror Shell: Dual Aero In-Mold Black	0
8860852	0	Mirror: Dual KW Aero Rear View Motor, heated with Integral CX.	0
8871446	S	Rear cab stationary window 19in x 36in	0
8879917	0	Two additional outboard windows 19in x 12in	10
8890101	S	One-piece bonded-in windshield with curved glass. Standard.	0
8890135	0	Exterior stainless steel sunvisor.	11
8890874	0	Kenworth Cab Air Suspension.	0

Sales Code	Std/ Opt	Description	Weight
8891011	0	Roof: Raised Profile, Stamped Aluminum w/ Additional Head Room & Interior Overhead Storage	0
Lights 8	k Instru	iments	
9010803	S	Headlamps: Single Halogen Complex Reflector w/ Turn Indicator, Reflector and DRL. Fender Mtd.	0
9020101	S	14-Pin RP170 Body Lighting Connector.	0
9022137	S	Marker Lights: Five, rectangular, LED	0
9070138	0	Combination Stop, Tail, Turn & Backup Lights RH & LH.	0
9090115	0	Reflectors: Two Midframe	0
9090312	0	Body Builder Lighting Harness Coiled End Of Frame For Additional Customer Installed Exterior Lighting. Harness Includes Circuits for Additional Customer Installed Tail Lamps, Turn Lamps, Stop Lamps, and Marker Lamps.	0
9090849	0	Polyswitches replacing fuses. Switch will automatically reset after removal of excess load.	C
Air Equi	ipment		
9101218	S	Air Dryer: Bendix AD-HF Puraguard Heated	Q
9108001	S	Moisture ejection valve w/ pull cable drain.	0
9140020	S	Nylon air tubing in frame & cab, excluding hoses subject to excessive heat or flexing.	C
9140252	0	Locate air dryer inside LH rail BOC. This code requires the use of a custom frame layout code.	C
Extende	ed Warı	ranty	
9200008	0	Base Warranty - PACCAR PX-9 Engine 24 months / 250,000 miles / 402,336 km / 6250 hours.	0
9200022	S	Base Warranty - Standard Service Medium Duty 12 months / Unlimited miles & km	C
9220006	0	Base Warranty: Emissions (CARB Surcharge) 5YR/150K MI - PX-9 Engine (Includes CARB Clean Idle Sticker)	C
Miscella	ineous		
9409852	0	GHG Secondary Manufacturer: Does Not Apply	0
9490206	0	Warning triangle reflector kit: Shipped loose. Kit consists of 3 triangles in plastic carrying case. Not floor mounted.	4
9490404	0	One 5 lb. dry chemical type fire extinguisher mounted outboard of driver seat. Class ABC.	11
9491659	S	VMUX Architecture	0

Sales Code	Std/ Opt	Description	Weight	
Promoti	Promotions			
Paint				
9700000	0	Paint color number(s).	0	
		N9702 A - L0006 WHITE N9770 BUMPER L0006 WHITE N9720 FRAME N0001 BLACK		
9943001	0	Bumper Painted Color A	0	
9943050	S	Day Cab Standard Paint	0	
9944820	S	1 - Color Paint - Day Cab Color will be White if no other color is specified.	0	
9965510	S	Base coat/clear coat. The Kenworth Color Selector contains additional instructions, as well as information on Kenworth paint guidelines and surface finish applications. Kenworth is standard with Dupont Imron Elite paint.	0	

Order Comments

Total Weight

12,048